


Date	
Customer	

Project

```
Туре
```

# K 2 Recessed 80 1x GU10 DE Black Matt



Every project needs a spotlight for general lighting. K is our suggestion for those who like to keep things simple yet flexible. K comes in two sizes, 80 and 89 mm, with a flat or sloping edge, in aluminium, or with a white or black structure. Available with halogen and LED. Choose the directional model for a greater interplay of light and more versatility.

75	0
----	---




	hue
<u> </u>	

## Specifications

~p c c ij r c in r c ins	
Material	10275202
Light Source Type	GU10
Lamp Included	No
Number of Light Sources	1
Light Direction	Down
Input Voltage	230V
Electrical Class	1
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Mounting	Recessed
Cut-out size (mm)	ø70
Mounting depth (mm)	150.0
Adjustability	Not Applicable
Distance to Lighted Object (m)	0,5
Primary Colour & Primary Finish	Black, Matt
Gross weight (g)	180.0




### Light distribution & beam diagram






#### **Optical** Accessories




10280102 BL ring high K0/K1/K2/K3 black

#### Installation Accessories



10889830 Conbox 192x190x130



12290130 Gypkit 190X190 - Ø70

Choose a required accessory