


0835

Design By Toan Nguyen

Pendant light fitting designed by Toan Nguyen. Composed of a collection of hand blown glass spheres with LED light source suspended at different heights, anchored to the ceiling via a floating tubular structure. Available with ceiling rose or built-in. The finishes are matt graphite and matt white.

Model Sheet



Optional: Extra cable length
Min. quantity, upcharge and extra lead time apply [EN]

Finish

- 18 Graphite
ADAPTA RF 9913 WX
- 93 White
RAL 9016

LED temperature color 2700 K / 3000 K / 3500 K

Dimming CASAMBI / DALI 1-10V Push

Installation type Surface Canopy

Materials

- Sphere: Blown glass
- Glass fastening: Aluminum
- Diffuser: Polycarbonate
- Pendant structure: Steel

Light source 10 x LED 3,15W 1050mA



LED CRI>90 3123 lm 99
2700 K / 3000 K / 3500 K

Driver Constant Current 1050
100~240 V V 50~60 Hz HZ

Remarks

Request built-in canopy at www.vibia.com

The steel cables that go from the structure to the ceiling are the only ones that allow the height of the lamp to be adjusted. The installation manual describes how to do this and how to cut the cables.

Dimmable **LED**

IP20 **Bi-volt** **50-60Hz**

Application Hanging lamps


Packaging

- 2 Box
- 2,43 m x 0,471 m x 0,18 m
- Gross weight 15.5
- Net weight 10.5
- Vol. 0.327

Lighting effect

General Lighting


Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

Efficiency	49.58%
Coordinate System	CG
Total Flux	3123 lm
Maximum Value	123.32 cd/klm

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com