MAYFAIR

Design by Diego Fortunato.



Reference

5500.

Application

Table Lamps

Installation type

Surface

Description

The Mayfair lamps are a Diego Fortunato design proposal. The entire Mayfair collection incorporates LED lighting and comes in various finishes: green and orange.

Diffuser

Polycarbonate diffuser

Materials

Shade: Methacrylate Diffuser: Polycarbonate Vertical tube: Steel Base: Zamak

Finish



5500-07 Gloss black nickel and green (RAL 6026)



5500-08 Gloss black nickel and orange (RAL 2009)

Sketch



Electrical characteristics

1 x LED STRIP 24V 2,4W AND

1 x LED STRIP 24V 16,8W

Total 19.2 W







Led 2700K CRI >80 1841 Im 96 Im/W

Fixture: 0 Im/W

Driver included: CC - Constant Current 100-240V 50/60Hz

Electronic dimming OPTICAL SENSOR

Technical characteristics

- 24V transformer at plug

Physical characteristics

1 Box / 0.22 x 0.35 x 0.62 m. / Vol. 0.0473 m^3 / Gross weight 4.5 kg. / Net weight 4.1 kg.

Installation and assembly

Please, see the installation manual

Light distribution

Indirect lighting

Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.

Isolux: floor




Photometric data

Efficiency: 26.31% Coordinate system : CG

Light position: Total flux: 1840.50 X=0.00m Y=0.00m Z=0.38m

Maximum value : 66.01 Light position: C=45.00 G=40.00 Symmetry on the planes : Asymmetric



Certificates









