



Candle LED



LED 7W T25 E14 WW FR ND 1SRT6

Philips Candle Dimmable LED Lamps offer decorative energy saving ambience with the elegant effect of incandescent candles. Available in bent, blunt and flame tip candles, their unique design provides light in all directions, giving lighting designers a long life alternative to standard incandescent sources.

Product data

General Information	
Cap-Base	E14 [E14]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	0.9-7W
Flux measurement reference	Sphere
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	240 °
Luminous Flux (Nom)	70 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	77.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	0.9 W
Lamp Current (Nom)	11 mA


Wattage Equivalent	7 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	50 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	T25 [T 25mm]
Approval and Application	
Energy Efficiency Class	G
Energy Consumption kWh/1000 h	1 kWh
EPREL Registration Number	406215
Product Data	
Full product code	871869977169000

Candle LED

Order product name	LED 7W T25 E14 WW FR ND 1SR76
EAN/UPC - Product	8718699771690
Order code	929002401355
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6

Material Nr. (12NC)	929002401355
Net Weight (Piece)	0.014 kg



Dimensional drawing



Bulb 220V 0.7-W 70lm 2700K E14 ND

Product	D	C
LED 7W T25 E14 WW FR ND 1SR76	25 mm	59 mm


Photometric data



General Uniform Lighting

LEDbulb 0,9W T25 E14 827 FR

LEDbulb 0,9W T25 E14 827 FR



LEDbulb 0,9W T25 E14 827 FR

Candle LED

Lifetime



15K LED

15K LMP

