



0308




Design By Arik Levy

Wireflow designed by Arik Levy. A hanging lamp which reviews and updates the chandelier look through an exercise of simplification that explores its essence and enhances its outline with great delicacy and at the same time a strong formal presence. Its appearance, as a structure of fine cables finished with eight LED terminals, discretely connects with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements.

Model Sheet




Optional: Extra cable length
Min. quantity, upcharge and extra lead time apply [EN]

Finish	04 Black RAL 9005
LED temperature color	2700 K / 3000 K / 3500 K
Dimming	CASAMBI / DALI 1-10V Push
Installation type	Surface Canopy
Materials	Ceiling rose: Steel Body: Aluminum Horizontal rods: Steel
Light source	6 x LED 4,48W 350mA 
LED	CRI>80 2942 lm 163 2700 K / 3000 K / 3500 K
Driver	Constant Current 350 110~240 V V 50~60 Hz HZ   Dimmable LED IP20 Bi-volt 50-60Hz
Application	Hanging lamps
Packaging	2 Box 0.6 m x 0.6 m x 0.27 m Gross weight 8.4 Net weight 7.56 Vol. 0.1238

Lighting effect

General Lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

Efficiency	40.11%
Coordinate System	CG
Total Flux	2941.60
Maximum Value	53.87

Other Applications

