
Algorithm 0882

$\langle | \rangle$

Design By Toan Nguyen

Pendant light fitting designed by Toan Nguyen. Composed of a collection of hand blown glass spheres with LED light source suspended at different heights, anchored to the ceiling via a floating tubular structure. The finishes are matt graphite and matt white.

Model Sheet



Finish	18 Graphite ADAPTA RF 9913 WX	Lighting effect
	93 White	General Lighting
	RAL 9016	Lamp for general light the light in all direction
LED temperature color	2700 K / 3000 K / 3500 K	
Dimming	CASAMBI / DALI 1-10V Push	
Instalation type	Built-in	Photometric Data
		Efficiency Coordinate System Total Flux
Materials	Sphere: Blown glass	Maximum Value
	Glass fastening: Aluminum Diffuser: Polycarbonate	Other Applications
	Pendant structure: Steel	
Light source	12 x LED 3,15W 1050mA	++++
	F	
LED	CRI>80 3748 lm 99 2700 K / 3000 K / 3500 K	
Driver	Constant Current 1050 100~240 V V 50~60 Hz HZ	
Remarks	The steel cables that go from the structure to the ceiling are the only ones that allow the height of the lamp to be adjusted. The installation manual describes how to do this and how to cut the cables.	
	Dimmable LED	
	IP20 Bi-volt 50-60Hz	
Application	Hanging lamps	
Packaging	2 Box 1.089 m x 1.089 m x 0.18 m Gross weigth 16.5 Net weigth 11.4 Vol. 0.336	

ting effect

eral Lighting p for general lighting that equally distributes ight in all directions.



49.49% CG 3747 lm 141.79 cd/klm



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina Progrés 4-6. 08850 Gavà. Barcelona, Spain. International T +34 934 796 971 Spain / Portugal T +34 934 796 970 customer.service@vibia.com vibia.com