

m o o o i

# Filigree Floor Lamp

RICK TEGELAAR



“What distinguishes a lamp from a light source?” is the question that initially triggered Rick Tegelaar to imagine and create the Filigree Floorlamp. Thanks to an elegant and dainty network of fine wires, that reminds us of delicate filigree jewelry, the translucent screen protecting the powerful LED light at the heart of the lamp is held under tension, distributing a soft light glow evenly across the room. When pointed towards a wall or ceiling, with the ornamental filigree flower structure facing us, the lamp projects a playful network of shadows to mesmerize and entertain.

---


## *Colours*

White with metal

---

*Filigree Floor Lamp Filigree*

## Dimensions



## Product

**WIDTH** 80cm | 31.5"  
**HEIGHT** 240cm | 94.5"  
**DEPTH** 65cm | 25.6"  
**WEIGHT NETTO** 17kg | 37.48lbs

## Packaging

**WIDTH** 87cm | 34.3"  
**HEIGHT** 172cm | 67.7"  
**CUBAGE** 1.03m<sup>3</sup> | 36.46ft<sup>3</sup>  
**LENGTH** 69cm | 27.2"  
**WEIGHT** 19cm | 41.89lbs

---

## Technical CE

### MATERIAL

PP translucent, brass, stainless steel, aluminium

### ENERGY LABEL

### LIGHTSOURCE TYPE

LED

### LIGHTSOURCE INCLUDED

Yes

### NUMBER OF LIGHTSOURCES

1

### INPUT VOLTAGE

220-240

### FREQUENCY

50/60

### MAX POWER CONSUMPTION

40W

### DIMMABLE

Yes

### COLOUR

Transparent with tinned cores

### PLUG TYPE

Europlug (Type-C)

### COLOUR TEMPERATURE

2700 K

### CRI

80

### LIGHT OUTPUT

3346 lm

---

## Technical cULus

### MATERIAL

PP translucent, brass, stainless steel, aluminium

### ENERGY LABEL

### LIGHTSOURCE TYPE

LED

### LIGHTSOURCE INCLUDED

Yes

### NUMBER OF LIGHTSOURCES

1

### INPUT VOLTAGE

90-130

### FREQUENCY

50/60

**MAX POWER CONSUMPTION**

40W

**COLOUR**

Transparent with tinned cores

**COLOUR TEMPERATURE**

2700 K

**LIGHT OUTPUT**

3346 lm

**DIMMABLE**

Yes

**PLUG TYPE**

US plug (Type A)

**CRI**

80

---

## *Dimmer*

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

**DIMMER TYPE**

Dimmer on power cord

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.

---