



## MINI MULTIPLE TRIMLESS FOR 3X LED GE

After twenty years still one of the architect's favorites. Mini multiple trimless, with its minimalistic features becomes part of the interior. Its dark or white casing vanishes when switching on the light. The versatile Multiple leaves nothing to the imagination with the technology on full display, allowing this luminaire to fit well into both a minimalist and an industrial-chic environment. The gimbale system allows you to direct the light source at any angle of your choice. Connect Mini multiple trimless with Smart by adding the Smart frontrings to your recessed spot.

Art. Nr. 13131209

### SPECIFICATIONS

Lamp	3x LED (not incl.)
Gear / Transfo	LED gear not incl.
Cut-out size	l 308 w 103 h 120
Weight	1.23kg
Min. Distance	0.1 m
Power supply	
IP	IP20
Glow Wire Test	960°
Adjustability	v -35°/+35°
Remark	! must be used with M-LED 70

black	13131202
white struc	13131209



## MINI MULTIPLE TRIMLESS FOR 3X LED GE

### ACCESSORIES

#### RECESSED-FRAME

10460730 | RECESSED FRAME MINI MULTIPLE TRIMLESS 3X

#### CONBOX

10440730 | CONBOX 342X158X130X420

#### M-LED

14070002	M-LED 70 2700K SPOT GE BLACK MATT
14070009	M-LED 70 2700K SPOT GE WHITE STRUC
14070102	M-LED 70 2700K MEDIUM GE BLACK MATT
14070109	M-LED 70 2700K MEDIUM GE WHITE STRUC
14070202	M-LED 70 2700K FLOOD GE BLACK MATT
14070209	M-LED 70 2700K FLOOD GE WHITE STRUC
14070302	M-LED 70 3000K SPOT GE BLACK MATT
14070309	M-LED 70 3000K SPOT GE WHITE STRUC
14070402	M-LED 70 3000K MEDIUM GE BLACK MATT
14070409	M-LED 70 3000K MEDIUM GE WHITE STRUC
14070502	M-LED 70 3000K FLOOD GE BLACK MATT
14070509	M-LED 70 3000K FLOOD GE WHITE STRUC
14070602	M-LED 70 4000K SPOT GE BLACK MATT
14070609	M-LED 70 4000K SPOT GE WHITE STRUC
14070702	M-LED 70 4000K MEDIUM GE BLACK MATT
14070709	M-LED 70 4000K MEDIUM GE WHITE STRUC
14070802	M-LED 70 4000K FLOOD GE BLACK MATT
14070809	M-LED 70 4000K FLOOD GE WHITE STRUC



