Algorithm 0825

$| \mathcal{Z} | \wedge$

Design By Toan Nguyen

Pendant light fitting designed by Toan Nguyen. Composed of a collection of hand blown glass spheres with LED light source suspended at different heights, anchored to the ceiling via a floating tubular structure. Available with ceiling rose or built-in. The finishes are matt graphite and matt white.

Model Sheet



Optional : Extra cable length Min. quantity, upcharge and extra lead time apply [EN]

inish	18 Graphite ADAPTA RF 9913 WX	Lighting effect	
		General Lighting	
	93 White RAL 9016	Lamp for general lightin the light in all directions	ng that equally distributes s.
ED temperature olor	2700 K / 3000 K / 3500 K		
Dimming	DALI 1-10V Push / CASAMBI	•	
	Surfrage Company	Photometric Data	
nstalation type	Surface Canopy	Efficiency	49.49%
Naterials	Sphere: Blown glass Glass fastening: Aluminum	Coordinate System Total Flux Maximum Value	CG 3122.80 lm 142.75 cd/klm
	Diffuser: Polycarbonate Pendant structure: Steel	Other Applications	
ight source	10 x LED 3,15W 1050mA		T
	F		
ED	CRI>90 3123 lm 99 2700 K / 3000 K / 3500 K		
Driver	Constant Current 1050 100~240 V V 50~60 Hz HZ		
Remarks	The steel cables that go from the structure to the ceiling are the only ones that allow the height of the lamp to be adjusted. The installation manual describes how to do this and how to cut the cables. The 25 cm fixing bars are included		
	UP20 Bi-volt 50-60Hz		
Application	Hanging lamps		
Packaging	2 Box 1.089 m x 1.089 m x 0.18 m Gross weigth 14.3 Net weigth 10.5 Vol. 0.3344		
		1	

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina Progrés 4-6. 08850 Gavà. Barcelona, Spain.