

m o o o i

## Valentine Suspended

MARCEL WANDERS



Love at first sight! A magic mirror and the power of crystals transform a simple shell into an endless light bouquet of flowers.

---


### *Detailing*



Love is in the air! The Valentine guarantees sparkles of romance with its warm glow of its florid heart.

---


### *Colours*



Black

Silver

Gold



White

---

### *Valentine Suspended Baby*

## Dimensions

21cm | 8.3"



18cm | 7.1"

## Product

**WIDTH** 21cm | 8.3"

**HEIGHT** 18cm | 7.1"

**DEPTH** 21cm | 8.3"

**DIAMETER** 21cm | 8.3"

**WEIGHT NETTO** 2.5kg | 5.5lbs

## Packaging

**WIDTH** 30cm | 11.8"

**HEIGHT** 28cm | 11"

**CUBAGE** 0.03m<sup>3</sup> | 0.89ft<sup>3</sup>

**LENGTH** 30cm | 11.8"

**WEIGHT** 3.5cm | 7.72lbs

## Technical CE

### MATERIAL

Crystal clear blown glass with metal shade.

### ENERGY LABEL

A++ to E

### LIGHTSOURCE TYPE

Incandescent

### SHAPE

Bell

### FREQUENCY

50/60

### DIMMABLE

Yes

### RECOMMENDED LIGHTSOURCE

Classic or Candle (Type A or C)

### CABLE LENGTH

400cm | 157.5"

### LIGHT DIRECTION

All directions

### INSTALLATION REQUIRED

Yes

### NUMBER OF LIGHTSOURCES

1

### INPUT VOLTAGE

220-240

### MAX POWER CONSUMPTION

60W

### LAMPHOLDER

E14

### COLOUR

Transparent with tinned cores

### CANOPY

Matching steel cylinder

## Technical cULus

### MATERIAL

Crystal clear blown glass with metal shade.

### ENERGY LABEL

A++ to E

### INSTALLATION REQUIRED

Yes

<b>LIGHTSOURCE TYPE</b>	Incandescent	<b>NUMBER OF LIGHTSOURCES</b>	1
<b>SHAPE</b>	Bell	<b>INPUT VOLTAGE</b>	110-130
<b>FREQUENCY</b>	50/60	<b>MAX POWER CONSUMPTION</b>	60W
<b>DIMMABLE</b>	Yes	<b>LAMPHOLDER</b>	E12
<b>RECOMMENDED LIGHTSOURCE</b>	Classic or Candle (Type A or C)	<b>COLOUR</b>	Transparent with tinned cores
<b>CABLE LENGTH</b>	400cm   157.5"	<b>CANOPY</b>	Matching steel cylinder
<b>LIGHT DIRECTION</b>	All directions		

## Valentine Suspended Large

### Dimensions

36cm | 14"



30cm | 11.6"

### Product

**WIDTH** 36cm | 14.2"  
**HEIGHT** 30cm | 11.8"  
**DEPTH** 36cm | 14.2"  
**DIAMETER** 36cm | 14.2"  
**WEIGHT NETTO** 8.5kg | 18.74lbs

### Packaging

**WIDTH** 43cm | 16.9"  
**HEIGHT** 41cm | 16.1"  
**CUBAGE** 0.08m<sup>3</sup> | 2.68ft<sup>3</sup>  
**LENGTH** 43cm | 16.9"  
**WEIGHT** 9.5cm | 20.94lbs

### Technical CE

**MATERIAL**  
 Crystal clear blown glass with metal shade.

**ENERGY LABEL**  
 A++ to E

**LIGHTSOURCE TYPE**  
 Incandescent

**SHAPE**  
 Bell

**INSTALLATION REQUIRED**  
 Yes

**NUMBER OF LIGHTSOURCES**  
 1

**INPUT VOLTAGE**  
 220-240

**FREQUENCY**

50/60

**DIMMABLE**

Yes

**RECOMMENDED LIGHTSOURCE**

Type A

**CABLE LENGTH**

400cm | 157.5"

**LIGHT DIRECTION**

All directions

**MAX POWER CONSUMPTION**

105W

**LAMPHOLDER**

E27

**COLOUR**

Transparent with tinned cores

**CANOPY**

Matching steel cylinder

---

*Technical cULus***MATERIAL**

Crystal clear blown glass with metal shade.

**ENERGY LABEL**

A++ to E

**LIGHTSOURCE TYPE**

Incandescent

**SHAPE**

Bell

**FREQUENCY**

50/60

**DIMMABLE**

Yes

**RECOMMENDED LIGHTSOURCE**

Type A

**CABLE LENGTH**

400cm | 157.5"

**LIGHT DIRECTION**

All directions

**INSTALLATION REQUIRED**

Yes

**NUMBER OF LIGHTSOURCES**

1

**INPUT VOLTAGE**

110-130

**MAX POWER CONSUMPTION**

60W

**LAMPHOLDER**

E26

**COLOUR**

Transparent with tinned cores

**CANOPY**

Matching steel cylinder

---

*Dimmer*

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

**DIMMER TYPE**

Mains dimmable with compatible light source

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.

